REMARKS

At the outset, Claim 40-43 have been copied from Claims 1, 7, 8 and 9 of U.S. Patent No. 6,347,885, as reexamined in reexamination serial no. 90/007,204¹, for the purpose of provoking an interference. 37 C.F.R. §41.202(a)(1)

It is respectfully submitted that no prior art rejections can be asserted against the present claims which are inconsistent with the reexamination of U.S. Patent No. 6,347,885.

Claims 1, 7, 8 and 9 of U.S. Patent No. 6,347,885, as reexamined, interfere with Claims 40-43 of the application. The single Count should be Claim 1 of U.S. Patent No. 6,347,885, as reexamined. Claim 40 of the present application corresponds to this proposed count as it is a copy thereof. Claims 41-43 depend from this Claim 40 and therefore likewise correspond to the proposed count. 37 C.F.R. §41.202(a)(2)

It is respectfully submitted that, as the proposed count; Claim 1 of U.S. Patent No. 6,347,885, as reexamined; and Claim 40 of the present application are identical, that the requirements of 37 C.F.R. §41.202(a)(3) are met.

The present application has an effective U.S. filing date as least as early as April 15, 1999 and foreign priority at least as early as April 20, 1998 whereas U.S. Patent No. 6,347,885 has a priority date no earlier than January 18, 2000. It is respectfully submitted that this meets the requirements of 37 C.F.R. §41.202(a)(4).

As of March 8, 2007, PAIR gives a status for this reexamination of "Reexam Terminated – In Publications for Issue of a Certificate".

The claims are supported by the present specification, including drawings, as follows:

New Claims 40-43	Support in specification and drawings
40. A flexible, reclosable package comprising:	The bag 30 illustrated in Figure 25 and
	described from page 16, last line to page 17,
	line 7.
(a) first and second panel sections defining an	The bag 30 illustrated in Figure 25 has first and
interior;	second panel sections defining an interior.
(b) a zipper closure sealed to each of first and	Profiles 10, 12 of Figure 25.
second panel sections along a top edge, the	
zipper closure extending from a first side edge to a second side edge and comprising first and	
second mating profiles;	
(c) a slider device constructed and arranged for	Slider 9 of Figure 25.
mounting on the zipper closure and for	Sinder 7 of Figure 25.
interlocking the first mating profile with the	
second mating profile when the slider device is	
moved in a first direction and disengaging the	
first mating profile from the second mating	
profile when the slider device is moved in a	
second opposite direction; the slider device	
being operably mounted on the zipper closure;	
and	
(d) a first tamper-evident structure disposed at	The film extension 126 of Figure 25 forms a
the top edge and encasing a first portion of the	tamper-evident structure on the top edge of bag
zipper closure, wherein when seal, the tamper- evident structure has an opening exposing the	30 which encases a first portion of the zipper closure formed by profiles 10, 12. Leftmost
slider device,	side-cut 122 forms an opening which exposes
Silder device;	slider 9.
and wherein the opening is defined by the	Left-most side-cut 122 of Figure 25 forms an
tamper-evident structure.	opening which provides access to slider 9 and
	is defined by the film extension 126. It is
	noted that col. 3, lines 60-63 of U.S. Patent No.
	6,347,885 (from which this claim was copied)
	states that "entirely defined" means "totally
	surrounded". Therefore, it follows that
	"defined" (as distinct from "entirely defined")
	encompasses "partially surrounded" (as distinct
	from "totally surrounded"). Further, this position is supported by the language of this
	claim regarding first and second panel sections
	defining an "interior" in that the interior is not
	"totally surrounded" by the panels when a
	mouth is formed in the package.

41. The package according to claim 40, wherein:	See claim 40 above.
(a) the slider device is positioned within the opening of the first tamper-evident structure.	Left-most side-cut 122 of Figure 25 forms an opening in film extension 126 in which slider 9 is positioned.
42. The package according to claim 40, further comprising:	See claim 40 above.
(a) an area of weakness extending along the first tamper-evident structure.	The perforations 124 described on page 17, lines 5-7, and shown on Figure 25 form an "area of weakness".
43. The package according to claim 42, wherein:	See claim 42 above.
(a) the area of weakness is a perforation line.	The perforations 124 described on page 17, lines 5-7, and shown on Figure 25 form a "perforation line".

It is respectfully submitted that this chart meets the requirements of 37 C.F.R. §41.202(a)(5). This chart likewise establishes constructive reduction to practice under 37 C.F.R. §41.202(a)(6). However, the Applicant reserves the right to establish an earlier actual or constructive reduction to practice.

The Applicant respectfully requests the declaration of an interference between the presently pending claims in the instant application and U.S. Patent No. 6,347,885, as reexamined.

The Commissioner is authorized to charge any necessary fees to Deposit Account No. 50-1145, Order No. 500769.106073.

Respectfully submitted,

Ronald E. Brown

Registration No. 32,200

Day Pitney LLP 7 Times Square New York, New York 10036-7311 212-297-5800